Ref #	Hits	Search Query	DBs	Defa ult Oper ator	Plurals	Time Stamp
L1	17	(system NEAR call) AND polic\$3 AND hypervisor\$1 AND (process\$3 application\$1 program\$1) AND (flow operation) AND execut\$3 AND ("726".clas. "713".clas. "380".clas. "711".clas. "709".clas. "709".clas. "707".clas. "705".clas.) AND (@pd<"20030127" @ad<"20030127" @rrad<"20030127"	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 17:42
L2	40	polic\$3 AND hypervisor\$1 AND (process\$3 application\$1 program\$1) AND (flow operation) AND execut\$3 AND ("726".clas. "713".clas. "380".clas. "711".clas. "709".clas. "719".clas. "707".clas. "705".clas.) AND (@pd< "20030127" @ad< "20030127" @prad< "20030127" @rlad< "20030127")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 17:42
L3	0	supervisor.clm. AND system.clm. AND call. clm. AND monitor.clm. AND policy.clm. AND ("726".clas. "713".clas. "380".clas. "711".clas. "709".clas. "719".clas. "707".clas. "705".clas.)	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 17:43
L4	0	supervisor.clm. AND system.clm. AND call. clm. AND monitor.clm. AND policy.clm.	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 17:44
L5	3	supervisor.clm. AND monitor.clm. AND policy.clm.	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 17:44
L6	3	supervisor.clm. AND monitor.clm. AND policy.clm. AND ("726".clas. "713".clas. "380".clas. "711".clas. "709".clas. "719".clas. "707".clas. "705".clas.)	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 17:44
L7	0	run\$1time.clm. AND supervisor.clm. AND monitor.clm. AND policy.clm. AND ("726". clas. "713".clas. "380".clas. "711".clas. "709".clas. "707".clas. "705".clas.)	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 17:45
L8	0	run.clm. AND time.clm. AND supervisor.clm. AND monitor.clm. AND policy.clm. AND ("726".clas. "713".clas. "380".clas. "711".clas. "709".clas. "719".clas. "707".clas. "705".clas.)	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 17:45

L9	0	runtime.clm. AND supervisor.clm. AND monitor.clm. AND policy.clm. AND ("726". clas. "713".clas. "380".clas. "711".clas. "709".clas. "719".clas. "705".clas.)	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 17:45
S1	431	726/1.ccls. AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127" or @rlad<"20030127")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/06 16:13
S2	21	policy AND system call AND 726/1.ccls. AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 09:31
S3	11	kernel AND policy AND system call AND 726/1.ccls. AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127" or @rlad<"20030127")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/06 16:50
S4	105	kernel AND policy AND system call AND "726"/.clas. AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127" or @rlad<"20030127")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/06 16:50
S5	188	kernel AND policy AND system call AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127" or @rlad<"20030127")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/06 16:59
S6	96	encryption AND kernel AND policy AND system call AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127" or @rlad<"20030127")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/06 16:51
S7	117	process AND (encryption OR encrypt OR encrypted OR encrypting) AND kernel AND policy AND system call AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 14:39

\$8	60	tag AND process AND (encryption OR encrypt OR encrypted OR encrypting) AND kernel AND policy AND system call AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd< "20030127" or @prad< "20030127" or @rlad< "20030127")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/06 16:52
\$9	31	memory space AND tag AND process AND (encryption OR encrypt OR encrypted OR encrypting) AND kernel AND policy AND system call AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd< "20030127" or @ad< "20030127" or @rlad< "20030127")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/06 16:53
S10	31	data AND memory space AND tag AND process AND (encryption OR encrypt OR encrypted OR encrypting) AND kernel AND policy AND system call AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/06 16:53
S11	30	supervisor AND data AND memory space AND tag AND process AND (encryption OR encrypt OR encrypted OR encrypting) AND kernel AND policy AND system call AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd<"20030127" or @ad<"20030127" or @rlad<"20030127")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/06 16:54
S12	0	NOT ginter.inv. AND supervisor AND data AND memory space AND tag AND process AND (encryption OR encrypt OR encrypted OR encrypting) AND kernel AND policy AND system call AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd<"20030127" or @ad<"20030127" or @rlad<"20030127")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/06 16:54
S13	157	NOT ginter.inv. AND kernel AND policy AND system call AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127" or @rlad<"20030127")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/06 16:59
S14	90	NOT ginter.inv. AND kernel AND policy AND system call AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127" or @rlad<"20030127")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 07:56

S15	12	memory space AND (NOT ginter.inv.) AND kernel AND policy AND system call AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd< "20030127" or @prad< "20030127" or @rlad< "20030127")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 08:41
S16	9	NOT ginter.inv. AND monitor AND memory space AND kernel AND policy AND system call AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 08:41
S17	2	"5757908".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 09:12
S18	2	"5925126".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 09:15
S19	2	"5956710".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 09:18
S20	18	monitor AND policy AND system call AND 726/1.ccls. AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127" or @rlad<"20030127")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 09:34
S21	23	monitor AND policy AND system call AND (726/1.ccls. OR 713/187.ccls.) AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 09:36
S22	0	policy AND system call monitor AND (726/1. ccls. OR 713/187.ccls.) AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127" or @rlad<"20030127")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 09:36

S23	0	policy AND system call NEAR monitor AND (726/1.ccls. OR 713/187.ccls.) AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 09:36
S24	28	process AND data AND policy AND system call AND (726/1.ccls. OR 713/187.ccls.) AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 10:00
S25	77	(detect OR detecting OR detected OR detection OR detector) AND (write OR writing OR wrote OR written) AND process AND data AND policy AND (system call OR call) AND (726/1.ccls. OR 713/187.ccls.) AND (@pd< "20030127" or @prad< "20030127" or @rlad< "20030127")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 10:02
S26	60	(handle OR handled OR handling) AND (determine OR determined OR determining) AND (detect OR detecting OR detected OR detection OR detector) AND (write OR writing OR wrote OR written) AND process AND data AND policy AND (system call OR call) AND (726/1.ccls. OR 713/187.ccls.) AND (@pd< "20030127" or @prad< "20030127" or @rlad< "20030127")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 10:03
S27	45	monitor AND (handle OR handled OR handling) AND (determine OR determined OR determining) AND (detect OR detecting OR detected OR detection OR detector) AND (write OR writing OR wrote OR written) AND process AND data AND policy AND (system call OR call) AND (726/1.ccls. OR 713/187. ccls.) AND (@pd<"20030127" or @ad<"20030127" or @rlad<"20030127")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 10:04
S28	36	(handle OR handled OR handling) AND (determine OR determined OR determining) AND (detect OR detecting OR detected OR detection OR detector) AND (write OR writing OR wrote OR written) AND process AND data AND policy AND (system call OR call) AND (726/1.ccls. OR 713/187.ccls.) AND (@pd< "20030127" or @ad< "20030127" or @rlad< "20030127")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 10:12

	LAST Search History (Filor Art)							
S29	29	monitor AND (handle OR handled OR handling) AND (determine OR determined OR determining) AND (detect OR detecting OR detected OR detection OR detector) AND (write OR writing OR wrote OR written) AND process AND data AND policy AND (system call OR call) AND (726/1.ccls. OR 713/187. ccls.) AND (@pd<"20030127" or @ad<"20030127" or @rlad<"20030127")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 10:12		
\$30	18	(encrypt OR encrypted OR encrypting OR encryptor OR encryption) AND monitor AND (handle OR handled OR handling) AND (determine OR determined OR determining) AND (detect OR detecting OR detected OR detection OR detector) AND (write OR writing OR wrote OR written) AND process AND data AND policy AND (system call OR call) AND (726/1.ccls. OR 713/187.ccls.) AND (@pd< "20030127" or @prad< "20030127" or @rlad< "20030127")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 10:12		
S31	23	(encrypt OR encrypted OR encrypting OR encryptor OR encryption) AND (handle OR handled OR handling) AND (determine OR determined OR determining) AND (detect OR detecting OR detected OR detection OR detector) AND (write OR writing OR wrote OR written) AND process AND data AND policy AND (system call OR call) AND (726/1.ccls. OR 713/187.ccls.) AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 10:21		
S32	27	(encrypt OR encrypted OR encrypting OR encryptor OR encryption) AND (handle OR handled OR handling) AND (determine OR determined OR determining) AND (detect OR detecting OR detected OR detection OR detector OR monitor) AND (write OR writing OR wrote OR written) AND process AND data AND policy AND (system call OR call) AND (726/1.ccls. OR 713/187.ccls.) AND (@pd<"20030127" or @ad<"20030127" or @rlad<"20030127")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 10:30		
S33	2	(encrypt OR encrypted OR encrypting OR encryptor OR encryption) AND (handle OR handled OR handling) AND (determine OR determined OR determining) AND ((detect OR detecting OR detected OR detection OR detector OR monitor) NEAR (system call OR call)) AND (write OR writing OR wrote OR written) AND process AND data AND policy AND (726/1.ccls. OR 713/187.ccls.) AND (@pd<"20030127" or @ad<"20030127" or @rlad<"20030127")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 10:31		

S34	2	"5937159".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 13:37
\$35	115	operating system AND process AND (encryption OR encrypt OR encrypted OR encrypting) AND kernel AND policy AND system call AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd< "20030127" or @ad< "20030127" or @rlad< "20030127")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 14:42
S36	114	security AND operating system AND process AND (encryption OR encrypt OR encrypted OR encrypting) AND kernel AND policy AND system call AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd< "20030127" or @ad< "20030127" or @prad< "20030127" or @rlad< "20030127")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 14:41
\$37	57	operating system AND process AND (encryption OR encrypt OR encrypted OR encrypting) AND kernel AND policy AND system call AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd< "20030127" or @ad< "20030127" or @rlad< "20030127")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 14:43
S38	50	space AND user AND memory AND operating system AND process AND (encryption OR encrypt OR encrypted OR encrypting) AND kernel AND policy AND system call AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd<"20030127" or @ad<"20030127" or @rlad<"20030127")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 14:48
S39	23	memory space AND operating system AND process AND (encryption OR encrypt OR encrypted OR encrypting) AND kernel AND policy AND system call AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 14:49
S40	1	memory space AND operating system AND process AND (encryption OR encrypt OR encrypted OR encrypting) AND kernel space AND policy AND system call AND ("726". clas. OR "713".clas. OR "380".clas.) AND (@pd< "20030127" or @ad< "20030127" or @prad< "20030127")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 15:18

S41	51	process AND (data OR information) AND tag AND policy AND system call AND ("726". clas. OR "713".clas. OR "380".clas.) AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 10:28
S43	39	input AND process AND (data OR information) management AND policy AND system call AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd< "20030127" or @ad< "20030127" or @rlad< "20030127")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 13:31
S44	31	operating system AND input AND process AND (data OR information) management AND policy AND system call AND ("726". clas. OR "713".clas. OR "380".clas.) AND (@pd< "20030127" or @ad< "20030127" or @prad< "20030127")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 13:33
S45	328	operating system AND input AND process AND (data OR information) management AND ("726".clas. OR "713".clas. OR "380". clas.) AND (@pd< "20030127" or @ad< "20030127" or @prad< "20030127" or @rlad< "20030127")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 13:34
S46	101	(operation OR function OR functionality) AND operating system AND (data OR information) input AND process AND (data OR information) management AND ("726". clas. OR "713".clas. OR "380".clas.) AND (@pd< "20030127" or @ad< "20030127" or @prad< "20030127")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 13:35
S47	22	(operating system NEAR (operation OR function OR functionality)) AND (data OR information) input AND process AND (data OR information) management AND ("726". clas. OR "713".clas. OR "380".clas.) AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 13:35
S48	2	"5909688".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/09 13:54
S49	2	"6282657".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 08:10

S50	2	"5684948".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 08:10
S51	109	monitor AND system call AND policy AND (tag label) AND ("726".clas. "713".clas. "380".clas. "705".clas.) AND (@pd<"20030127" @ad<"20030127" @prad<"20030127" @rlad<"20030127")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/17 15:54
S53	2	"6658571".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/18 09:53
S54	29	monitor AND system call AND policy AND data (handl\$3 process\$3) AND ("726/1,26, 27,30.ccls. "713/155-159".ccls. 709/225. ccls.) AND (@pd<""20030127"" @ad<""20030127"" @prad<""20030127"" @rlad<""20030127"")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/23 15:48
S55	28	process AND monitor AND system call AND policy AND data (handl\$3 process\$3) AND ("726/1,26,27,30.ccls. "713/155-159".ccls. 709/225.ccls.) AND (@pd< ""20030127"" @ad< ""20030127"" @rad< ""20030127"" @rlad< ""20030127"")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/23 16:07
S56	4770	(beresnevichiene.in. plaquin.in. dalton.in.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/23 16:08
S57	24	(beresnevichiene.in. plaquin.in. dalton.in.) AND ("713".clas. "726".clas. "380".clas.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/23 16:15
S58	4	(beresnevichiene.in. plaquin.in. dalton.in.) AND system call AND ("713".clas. "726". clas. "380".clas.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/23 16:15

S59	28	process AND monitor AND system call AND policy AND data (handl\$3 process\$3) AND ("726/2,16,26,27-30.ccls. 713/164-167, 189.ccls. 380/59.ccls.) AND (@pd<""20030127"" @ad<""20030127"" @prad<""20030127"" @rlad<""20030127""	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/23 16:29
S60	60	process AND monitor AND system call AND data (handl\$3 process\$3) AND ("726/2,16, 26,27-30.ccls. 713/164-167,189.ccls. 380/59.ccls.) AND (@pd<""20030127"" @ad<""20030127"" @prad<""20030127"" @rlad<""20030127"")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/23 16:29
S61	1	process AND call monitor AND system call AND data (handl\$3 process\$3) AND ("726/2,16,26,27-30.ccls. 713/164-167, 189.ccls. 380/59.ccls.) AND (@pd<""20030127"" @ad<""20030127"" @prad<""20030127""	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/23 16:29
S62	38	monitor AND system call AND policy AND (tag label) AND ("726/1,26,27,30.ccls. "713/155-159".ccls. 709/225.ccls.) AND (@pd<""20030127"" @ad<""20030127"" @prad<""20030127"" @rlad<""20030127"")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/23 16:34
S63	15	(access control NEAR (process application)) AND monitor AND system call AND ("726/2,16,26,27-30.ccls. 713/164-167,189.ccls. 380/59.ccls.) AND (@pd<""20030127"" @ad<""20030127"" @prad<""20030127"" @rlad<""20030127"")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/23 16:37
S64	2	"5937159".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/24 15:35
\$65	8	"5937159".pn. "6981140".pn. "5909688". pn. "5684948".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/14 17:29
S66	136	monitor AND system call AND ("726/2,16, 26,27-30.ccls. 713/164-167,189.ccls. 380/59.ccls.) AND (@pd<""20030127"" @ad<""20030127"" @prad<""20030127"" @rlad<""20030127"")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/20 08:59

S67	0	data handling AND (polic\$3 access control) AND monitor AND system call AND ("726/2, 16,26,27-30.ccls. 713/164-167,189.ccls. 380/59.ccls.) AND (@pd<""20030127"" @ad<""20030127"" @prad<""20030127""	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/20 09:00
S68	91	data AND (polic\$3 access control) AND monitor AND system call AND ("726/2,16, 26,27-30.ccls. 713/164-167,189.ccls. 380/59.ccls.) AND (@pd<""20030127"" @ad<""20030127"" @rrad<""20030127"" @rlad<""20030127"")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/20 09:00
S69	8	user space AND kernel space AND data AND (polic\$3 access control) AND monitor AND system call AND ("726/2,16,26,27-30.ccls. 713/164-167,189.ccls. 380/59.ccls.) AND (@pd<""20030127"" @ad<""20030127"" @prad<""20030127"" @rlad<""20030127""	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/20 09:12
S70	19	user (memory space) AND kernel (memory space) AND data AND (polic\$3 access control) AND monitor AND system call AND ("726/2,16,26,27-30.ccls. 713/164-167, 189.ccls. 380/59.ccls.) AND (@pd<""20030127"" @ad<""20030127"" @prad<""20030127"" @rlad<""20030127"")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/20 09:13
S71	19	user (memory space) AND kernel (memory space) AND data AND (polic\$3 access control) AND monitor AND system call\$1 AND ("726/2,16,26,27-30.ccls. 713/164-167,189.ccls. 380/59.ccls.) AND (@pd<""20030127"" @ad<""20030127"" @prad<""20030127"" @rlad<""20030127""	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/20 15:44
S72	2	"7263718".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/20 15:47
S73	6	"5919258".pn. "5287453".pn. "5974549". pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/20 15:53

S74	15	(label\$3 tag\$4) AND user (memory space) AND kernel (memory space) AND data AND (polic\$3 access control) AND monitor AND system call\$1 AND ("726/2,16, 26,27-30.ccls. 713/164-167,189.ccls. 380/59.ccls.) AND (@pd<""20030127"" @ad<""20030127"" @rad<""20030127""	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/20 16:49
S75	2	"20050076237".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/20 17:12
S76	3	"20050076237".pn. "7437766".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/20 17:15
S77	2	"20040158720".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/21 10:32
S78	63	(label\$3 tag\$4) AND (polic\$3 access control) AND monitor AND (system call\$1 process call\$1) AND ("726/2,16,26,27-30. ccls. 713/164-167,189.ccls. 380/59.ccls.) AND (@pd< ""20030127"" @prad< ""20030127"" @rlad< ""20030127"")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/21 10:46
S79	66	(label\$3 tag\$4) AND (polic\$3 access control) AND monitor\$3 AND (system call\$1 process call\$1) AND ("726/2,16,26,27-30. ccls. 713/164-167,189.ccls. 380/59.ccls.) AND (@pd< ""20030127"" @ad< ""20030127"" @rad< ""20030127""	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/21 10:46
\$80	57	(label\$3 tag\$4) AND polic\$3 AND monitor\$3 AND (system call\$1 process call\$1) AND ("726/2,16,26,27-30.ccls. 713/164-167,189.ccls. 380/59.ccls.) AND (@pd<""20030127"" @ad<""20030127"" @prad<""20030127"" @rlad<""20030127""	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/21 10:46
S81	2	"20030145235".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/21 15:05

11/5/2010 5:46:21 PM Page 12

S82	4	"20030145235".pn. "6981140".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/21 15:06
S83	9	system.clm. AND call.clm. AND monitor.clm. AND operating.clm. AND policy.clm. AND process.clm. AND ("726".clas. "713".clas. "380".clas. "711".clas. "709".clas. "719".clas. "707".clas. "705".clas.)	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/01 18:07
S84	1	(format.clm. tag.clm. label.clm.) AND system.clm. AND call.clm. AND monitor.clm. AND operating.clm. AND policy.clm. AND process.clm. AND ("726".clas. "713".clas. "380".clas. "711".clas. "709".clas. "719".clas. "707".clas. "705".clas.)	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/01 18:08
S85	7	data.clm. AND system.clm. AND call.clm. AND monitor.clm. AND operating.clm. AND policy.clm. AND process.clm. AND ("726". clas. "713".clas. "380".clas. "711".clas. "709".clas. "719".clas. "705".clas.)	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/01 18:09
S86	5	execut\$3.clm. AND data.clm. AND system. clm. AND call.clm. AND monitor.clm. AND operating.clm. AND policy.clm. AND process. clm. AND ("726".clas. "713".clas. "380". clas. "711".clas. "709".clas. "719".clas. "707".clas. "705".clas.)	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/01 18:09
S87	3	polic\$3 AND system call monitor AND process\$3 AND (flow operation) AND ("726".clas. "713".clas. "380".clas. "711".clas. "709".clas. "719".clas. "707".clas. "705".clas.) AND (@pd<"20030127" @ad<"20030127" @prad<"20030127" @rlad<"20030127")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/01 18:10
S88	40	polic\$3 AND hypervisor AND process\$3 AND (flow operation) AND ("726".clas. "713".clas. "380".clas. "711".clas. "709".clas. "719".clas. "707".clas. "705".clas.) AND (@pd<"20030127" @ad<"20030127" @prad<"20030127" @rlad<"20030127")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/01 18:11
S89	40	polic\$3 AND hypervisor AND process\$3 AND (flow operation) AND execut\$3 AND ("726".clas. "713".clas. "380".clas. "711".clas. "709".clas. "719".clas. "707".clas. "705".clas.) AND (@pd<"20030127" @ad<"20030127" @prad<"20030127" @rlad<"20030127")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/01 18:11

S90	40	polic\$3 AND hypervisor AND (process\$3 application\$1 program\$1) AND (flow operation) AND execut\$3 AND ("726".clas. "713".clas. "380".clas. "711".clas. "709".clas. "719".clas. "707".clas. "705".clas.) AND (@pd< "20030127" @ad< "20030127" @prad< "20030127" @rlad< "20030127")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/01 18:11
S91	11	system call AND polic\$3 AND hypervisor AND (process\$3 application\$1 program\$1) AND (flow operation) AND execut\$3 AND ("726".clas. "713".clas. "380".clas. "711".clas. "709".clas. "719".clas. "707".clas. "705".clas.) AND (@pd<"20030127" @ad<"20030127" @prad<"20030127" @rlad<"20030127")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/01 18:12
S92	17	(system NEAR call) AND polic\$3 AND hypervisor AND (process\$3 application\$1 program\$1) AND (flow operation) AND execut\$3 AND ("726".clas. "713".clas. "380".clas. "711".clas. "709".clas. "719".clas. "707".clas. "705".clas.) AND (@pd<"20030127" @ad<"20030127" @prad<"20030127" @rlad<"20030127")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/01 18:12
\$93	15	(system NEAR call) AND monitor\$1 AND polic\$3 AND hypervisor AND (process\$3 application\$1 program\$1) AND (flow operation) AND execut\$3 AND ("726".clas. "713".clas. "380".clas. "711".clas. "709".clas. "719".clas. "707".clas. "705".clas.) AND (@pd<"20030127" @ad<"20030127" @rrad<"20030127"	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/01 18:12
S94	15	(system NEAR call) AND monitor\$1 AND polic\$3 AND hypervisor\$1 AND (process\$3 application\$1 program\$1) AND (flow operation) AND execut\$3 AND ("726".clas. "713".clas. "380".clas. "711".clas. "709".clas. "709".clas. "707".clas. "705".clas.) AND (@pd< "20030127" @ad< "20030127" @prad< "20030127"	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/01 18:12